

Specialist in commercial use ultraviolet (UV-C) sterilisers and ultraviolet disinfection lighting

Beauty Salon
Tools Steriliser



Boots & Shoes
Steriliser



Overgarment
Steriliser



Multi-purpose
Steriliser



Toothbrush
Steriliser




Utensils
Steriliser



Toy
Steriliser




Book
Steriliser



Chopping Boards &
Knives Steriliser



Cups Collection &
Steriliser



Using state-of-the-art ultraviolet sterilisation technology,
99.99% of bacteria and germs are eliminated in the process

Product Offering Overview

Schools & Eldercare



Products

- Toy Steriliser
- Book Steriliser
- Toothbrush Steriliser
- Multi-purpose Steriliser
- Utensils Steriliser

Food & Beverage Hospitality



Products

- Chopping Boards & Knives Steriliser
- Multi-purpose Steriliser
- Cups Steriliser
- Utensils Steriliser
- Overgarment Steriliser
- Boots & Shoes Steriliser

Medical Healthcare



Products

- Toy Steriliser
- Multi-purpose Steriliser
- Utensils Steriliser
- Overgarment Steriliser
- Boots & Shoes Steriliser

Recreation and Beauty, Spas & Salons



Products

- Beauty Salon Tools Steriliser
- Toy Steriliser
- Multi-purpose Steriliser

About Us

Offering a wide range of commercial use ultraviolet (UV-C) sterilisers that can easily sanitise toys, books, electronics, key cards, toothbrushes, chopping boards & knives, cups, kitchen tools, overgarments, rubber boots and shoes, beauty salon tools, etc.

We are dedicated to bringing high-quality, value added products into the region that help to improve hygiene, safety and convenience

MAIN FEATURES



Ultraviolet sterilisation and drying function



High-grade stainless steel interior



Prevention of all types of infectious diseases



Convenient and easy to use



Temperature setting



Automatic safety control device



Fine and simple storage

Our Products



Multi-purpose Sterilisers

Different compartment sections in the steriliser for easy segregation

All types of kitchen tools and overgarments can be easily sanitised through **ultraviolet sterilisation** and **hot-air drying function**

Chopping Boards & Knives Sterilisers

Chopping boards, knives and kitchen tools that are not properly sanitised can cause potential **food contamination** and **lead to food poisoning** and other bacteria infections like E. Coli and Salmonella



Cups Collection & Sterilisers

Great for use in corporate cafeterias, canteens, food courts, restaurants, cafes, hotels, etc. with **self-serving areas** for patrons to take and return their cups and utensils



Our Products

Utensils Sterilisers

All types of cutlery, including metal and bamboo straws can be placed inside and sterilised through **high heat**



High heat
sterilisation



Convenient and
easy to use



Simple and
stylish design



High-grade
stainless steel



Automatic safety
control device



Temperature
setting



Overgarment Sterilisers

Overgarments, gowns and sanitary apparels can be placed inside the steriliser and easily sanitised

Plasma ioniser function in place for easy deodorisation



Boots & Shoes Sterilisers

Rubber boots and shoes can be easily sanitised through ultraviolet sterilisation and hot-air drying

Plasma ionizer function helps to effectively remove odour from the boots and shoes



MAIN FEATURES



Ultraviolet sterilisation
and drying function



High-grade
stainless steel



Prevention of all types
of infectious diseases



Convenient and
easy to use



Simple and
stylish design



Automatic safety
control device



Effectiveness of our Sterilisation Equipment



Medical-grade sterilisation that **effectively eliminate 99.99%** of germs and bacteria after just 1 cycle of sterilisation (**only 10 mins**) with 1 simple touch of a button


- Made in Korea – Premium quality guaranteed
- Sterilisation effectiveness certified by Singapore TUV SUD PSB




PSB Singapore

Escherichia Coli

Causes food poisoning, gastroenteritis and meningitis




Before
Sterilisation




After
Sterilisation

Salmonella Typhimurium

Causes egg-associated Salmonellosis (fever, abdominal cramps, diarrhoea)



Before
Sterilisation



After
Sterilisation

Note: Microbiology testing has been carried out by Singapore TUV SUD PSB – Microbiology Chemical & Materials

Test Report No.: 7191223915-CHM19-01-RC; Nov 2019



Product Catalogue

❖ Products

Page

- | | |
|---|----|
| 1. Chopping Boards & Knives Sterilisers | 7 |
| 2. Multi-purpose Sterilisers | 11 |
| 3. Cups Sterilisers | 19 |
| 4. Utensils Sterilisers | 23 |
| 5. Overgarment Sterilisers | 25 |
| 6. Boots & Shoes Sterilisers | 30 |

1 Chopping Boards & Knives Steriliser

Unsanitised chopping boards and knives can cause potential contamination and lead to food poisoning and other bacterial infections like E. Coli and Salmonella

Comes in different sizes,
including detachable transport cart for “Moveable Series”



1 Chopping Boards & Knives Steriliser



[1 of 3]



TOUCHSCREEN MODEL SERIES

Touch
screen



| Model Name | BKS_H001 | BKS_H002 | BKS_H003 | BKS_H004 |
|--|---|--|--|---|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 950W | 1040W | 1040W | 785W |
| Capacity | 7 90cm Chopping Board, 10 Knives & Kitchen Tools | 8 150cm Chopping Board, 18 Knives & Kitchen Tools | 13 90cm Chopping Board, 24 Knives & Kitchen Tools | 8 90cm Chopping Board, 20 Knives & Kitchen Tools |
| Size (L x W x H) – cm | 61 x 48 x 130 | 70 x 60 x 190 | 90 x 60 x 190 | 105 x 49 x 130 |
| PRODUCT FEATURES | | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional | Optional |
| No. of Compartments | 1 | 1 | 3 | 5 |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen | Touchscreen | Touchscreen |
| Detachable Transport Cart | X | X | X | X |
| Temperature Setting | • | • | • | • |
| Timer Setting | • | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

1 Chopping Boards & Knives Steriliser

BUTTON MODEL SERIES



[2 of 3]

| Model Name | BKS_N001 | BKS_N002 | BKS_N003 |
|--|---|--|--|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 950W | 1040W | 1040W |
| Capacity | 7 90cm Chopping Board, 10 Knives & Kitchen Tools | 8 150cm Chopping Board, 18 Knives & Kitchen Tools | 13 90cm Chopping Board, 24 Knives & Kitchen Tools |
| Size (L x W x H) – cm | 61 x 48 x 130 | 70 x 60 x 190 | 90 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional |
| No. of Compartments | 1 | 1 | 3 |
| Touchscreen / Button Keypad | Button | Button | Button |
| Detachable Transport Cart | ✗ | ✗ | ✗ |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

1 Chopping Boards & Knives Steriliser




| Model Name | BKS_N004 | BKS_N005 |
|--|--|---|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 1500W | 785W |
| Capacity | 8 150cm Chopping Board, 12 Knives & Kitchen Tools | 8 90cm Chopping Board, 20 Knives & Kitchen Tools |
| Size (L x W x H) – cm | 100 x 60 x 190 | 105 x 49 x 130 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | Optional | Optional |
| No. of Compartments | 5 | 5 |
| Touchscreen / Button Keypad | Button | Button |
| Detachable Transport Cart | X | X |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |



2 Multi-purpose Steriliser

Different compartments for easy segregation to store and sanitise a wide range of items ie. Chopping boards, knives, aprons, gloves, dishcloths

Perfect for food & beverage sector –
F&B kitchens, restaurants, cafes, food courts, hotels



2 Multi-purpose Steriliser | Small Series



[1 of 7]



BUTTON MODEL SERIES



| Model Name | MPS_NS001 | MPS_NS002 | MPS_NS003 | MPS_NS004 |
|--|---|--|---|--|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 355W | 555W | 785W | 785W |
| Capacity | 4 60cm Chopping Board, 5 Knives & 5 Dishcloths | 4 60cm Chopping Boards, 4 Knives, 3 Dishcloths & Kitchen Tools | 4 60cm Chopping Boards, 4 Knives, 15 Dishcloths, 15 Pairs of Rubber Gloves & Kitchen Tools | 4 45cm Chopping Boards, 80 Food Trays & Kitchen Tools |
| Size (L x W x H) – cm | 50 x 45 x 81 | 61 x 48 x 130 | 105 x 48 x 130 | 105 x 49 x 130 |
| PRODUCT FEATURES | | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • | • |
| No. of Compartments | 1 | 2 | 4 | 5 |
| Touchscreen / Button Keypad | Button | Button | Button | Button |
| Temperature Setting | • | • | • | • |
| Timer Setting | • | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |



2 Multi-purpose Steriliser | Large Series

[2 of 7]

Note: Able to change internal composition of fixed shelving and compartments upon request



| Model Name | MPS_HL001 | MPS_HL002A / B / C |
|--|---|--|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 1070W | 1490W |
| Capacity | 7 - 8 Gowns / Aprons, Rubber Gloves & Boots | Design A: ~ 8-10 Aprons, 15 Pairs of Rubber Gloves, 8 Knives, 5 Chopping Boards Design B: ~ 8-10 Aprons, 15 Pairs of Rubber Gloves, 30 Dishcloths Design C: 5 Overgarments, 5 Aprons, 5 Chef Hats, 15 Pairs of Cotton Gloves, 15 Dishcloths |
| Size (L x W x H) – cm | 70 x 60 x 190 | 100 x 60 x 190 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | • | • |
| No. of Compartments | 1 | 4~5 with fixed shelving depending on design |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |

TOUCHSCREEN MODEL SERIES

Touch
screen



2 Multi-purpose Steriliser | Large Series

[3 of 7]

Note: Able to change internal composition of fixed shelving and compartments upon request



| Model Name | MPS_HL003A / B | MPS_HL004A / B / C |
|--|--|---|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 1490W | 2310W |
| Capacity | Design A: 15 Pairs of Rubber Gloves, 15 Dishcloths, 15 Loofahs, 15 Pairs of Cotton Gloves, 6 Vegetable Knives, 10 Knives, 8 90cm Chopping Boards Design B: 10 Aprons, 10 Overgarments | Design A: 7 Overgarments (Top & Bottom), 7 Pairs of Rubber Boots Design B: 7 120cm Chopping Boards, 12 Knives, 30 Dishcloths, 15 Pairs of Rubber Gloves, Kitchen Tools Design C: 15 Pairs of Rubber Gloves, 7 Aprons, 7 90cm Chopping Boards, 12 Knives, Kitchen tools |
| Size (L x W x H) – cm | 120 x 60 x 190 | 160 x 60 x 190 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | • | • |
| No. of Compartments | 3~7 with fixed shelving depending on design | 4~9 with fixed shelving depending on design |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |

TOUCHSCREEN MODEL SERIES

Touch screen



2 Multi-purpose Steriliser | Large Series



TOUCHSCREEN MODEL SERIES

Touch
screen



| | |
|--|--|
| Model Name | MPS_HL005 |
| Equipment Material | Stainless Steel |
| Power Consumption | 2370W |
| Capacity | Vegetable Knives, Knives, Chopping Boards, Rubber Gloves, Aprons, Dishcloths |
| Size (L x W x H) – cm | 160 x 60 x 190 |
| PRODUCT FEATURES | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • |
| Plasma Ionizer | • |
| No. of Compartments | 7 with fixed shelving depending on design |
| Touchscreen / Button Keypad | Touchscreen |
| Temperature Setting | • |
| Timer Setting | • |
| Temperature Range | 25 – 60°C |
| Timing Range | 10 mins – Continuous |

2 Multi-purpose Steriliser | Large Series

BUTTON MODEL SERIES

Note: Able to change internal composition of fixed shelving and compartments upon request



| Model Name | MPS_NL001 | MPS_NL002 | MPS_NL003A / B |
|--|---|---------------------------|--|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 1300W | 1490W | 1450W |
| Capacity | 4 Aprons, 10 Pairs of Rubber Gloves, 10 Dishcloths, Knives, 4 Chopping Boards | 7 Aprons, 7 Overgarments | Design A: 10 Aprons, 8 Knives, 5 Chopping Boards, 15 Pairs of Rubber Gloves Design B: 8~10 Aprons, 15 Pairs of Rubber Gloves, 30 Dishcloths |
| Size (L x W x H) – cm | 80 x 60 x 190 | 90 x 60 x 190 | 100 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional |
| No. of Compartments | 5 with fixed shelving | 3 with fixed shelving | 4 with fixed shelving |
| Touchscreen / Button Keypad | Button | Button | Button |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |



2 Multi-purpose Steriliser | Large Series

BUTTON MODEL SERIES

Note: Able to change internal composition of fixed shelving and compartments upon request



| Model Name | MPS_NL004A / B / C |
|--|--|
| Equipment Material | Stainless Steel |
| Power Consumption | 1490W |
| Capacity | Design A: 12 Aprons, 12 Overgarments Design B: 12 Knives, 8 90cm Chopping Boards, 30 Pairs of Rubber Gloves, 15 Dishcloths Design C: 8 Vegetable Knives, 14 Knives, 8 Chopping Boards, 15 Pairs of Cotton Gloves, 15 Pairs of Rubber Gloves, 15 Dishcloths, Loofahs |
| Size (L x W x H) – cm | 120 x 60 x 190 |
| PRODUCT FEATURES | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • |
| Plasma Ionizer | Optional |
| No. of Compartments | 3~7 with fixed shelving depending on design |
| Touchscreen / Button Keypad | Button |
| Temperature Setting | • |
| Timer Setting | • |
| Temperature Range | 25 – 60°C |
| Timing Range | 10 mins – Continuous |



2 Multi-purpose Steriliser | Large Series

[7 of 7]

BUTTON MODEL SERIES

Note: Able to change internal composition of fixed shelving and compartments upon request



| Model Name | MPS_NL005A / B / C |
|--|---|
| Equipment Material | Stainless Steel |
| Power Consumption | 2370W |
| Capacity | Design A: 7 Aprons, 7 Overgarments, 7 Pairs of Rubber Boots Design B: 10 Knives, 5 120cm Chopping Boards, 15 Pairs of Rubber Gloves, 15 Dishcloths, Kitchen Tools Design C: 7 Aprons, 12 Knives, 5 90cm Chopping Boards, 10 Pairs of Rubber Gloves, 15 Dishcloths, Kitchen Tools |
| Size (L x W x H) – cm | 160 x 60 x 190 |
| PRODUCT FEATURES | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • |
| Plasma Ionizer | Optional |
| No. of Compartments | 4~9 with fixed shelving depending on design |
| Touchscreen / Button Keypad | Button |
| Temperature Setting | • |
| Timer Setting | • |
| Temperature Range | 25 – 60°C |
| Timing Range | 10 mins – Continuous |



3 Cups Steriliser

Great for cafeterias, canteens, food courts with self-serving areas for patrons to take and return cups from



3 Cups Steriliser | Small Series



[1 of 3]



BUTTON MODEL SERIES



| Model Name | CSS_001 | CSS_002 | CSS_003 |
|--|---------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 180W | 215W | 365W |
| Capacity | ~ 50 Cups | ~ 90 Cups | ~ 120 Cups |
| Size (L x W x H) – cm | 50 x 40 x 52 | 50 x 40 x 73 | 55 x 45 x 107 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional |
| No. of Compartments | 2 | 3 | 4 |
| Touchscreen / Button Keypad | Button | Button | Button |
| Cup Collection Compartment | X | X | X |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

BUTTON MODEL SERIES



[2 of 3]

PRODUCT FEATURES

3 Cups Steriliser | Cup Collection

BUTTON MODEL SERIES



[3 of 3]



| Model Name | CCS_001 | CCS_002 |
|--|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 785W | 785W |
| Capacity | ~ 120 Cups | ~ 250 Cups |
| Size (L x W x H) – cm | 55 x 45 x 170 | 80 x 55 x 170 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | Optional | Optional |
| No. of Compartments | 4 | 4 |
| Touchscreen / Button Keypad | Button | Button |
| Cup Collection Compartment | • | • |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |

4 Utensils Steriliser

All types of cutlery, including metal and bamboo straws, can be easily sanitised through high heat sterilisation



4 Utensils Steriliser

CURRENT SERIES



Note: Larger capacities available upon special request and order

| Model Name | US_04 | US_06 | US_08 |
|--|-------------------------|-------------------------|-------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 165W | 245W | 325W |
| Capacity | 4 Holes – 200 Utensils | 6 Holes – 300 Utensils | 8 Holes – 400 Utensils |
| Size (L x W x H) – cm | 37 x 38 x 29 | 52 x 38 x 29 | 67 x 38 x 29 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | High Heat Sterilisation | High Heat Sterilisation | High Heat Sterilisation |
| Drying Function | Heat drying | Heat drying | Heat drying |
| Touchscreen / Button Keypad | Button | Button | Button |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 100°C | 25 – 100°C | 25 – 100°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |



5 Overgarment Steriliser

Overgarments and sanitary apparels can be placed inside steriliser and easily sanitised through ultraviolet sterilisation and hot-air drying function

Suitable for use in hospitals, research and healthcare labs, clean rooms and food manufacturing facilities that require high levels of sanitation



5 Overgarment Steriliser

[1 of 4]

TOUCHSCREEN MODEL SERIES

Touch
screen



| Model Name | OGS_H001 | OGS_H015 | OGS_H020 |
|--|--------------------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 750W | 1070W | 1490W |
| Capacity | 5 – 7 Overgarments, 2 Pairs of Shoes | 10 – 15 Overgarments | 15 – 20 Overgarments |
| Size (L x W x H) – cm | 60 x 54 x 184 | 70 x 60 x 190 | 100 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | • | • | • |
| No. of Compartments | 2 | 2 | 4 |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen | Touchscreen |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

5 Overgarment Steriliser



[2 of 4]



TOUCHSCREEN MODEL SERIES

Touch
screen



| Model Name | OGS_H025 | OGS_H030 |
|--|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 1545W | 1575W |
| Capacity | 20 – 25 Overgarments | 25 – 30 Overgarments |
| Size (L x W x H) – cm | 120 x 60 x 190 | 150 x 60 x 190 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | • | • |
| No. of Compartments | 4 | 4 |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |

5 Overgarment Steriliser

BUTTON MODEL SERIES



[3 of 4]



| Model Name | OGS_N001 | OGS_N015 | OGS_N020 |
|--|--------------------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 750W | 1070W | 1490W |
| Capacity | 5 – 7 Overgarments, 2 Pairs of Shoes | 10 – 15 Overgarments | 15 – 20 Overgarments |
| Size (L x W x H) – cm | 60 x 50 x 188 | 70 x 60 x 190 | 100 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional |
| No. of Compartments | 2 | 2 | 4 |
| Touchscreen / Button Keypad | Button | Button | Button |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

5 Overgarment Steriliser





BUTTON MODEL SERIES

| Model Name | OGS_N025 | OGS_N030 |
|--|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 1545W | 1575W |
| Capacity | 20 – 25 Overgarments | 25 – 30 Overgarments |
| Size (L x W x H) – cm | 120 x 60 x 190 | 150 x 60 x 190 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | Optional | Optional |
| No. of Compartments | 4 | 4 |
| Touchscreen / Button Keypad | Button | Button |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |



6 Boots & Shoes Steriliser

Boots & shoes are dried in a balanced manner as hot-air ventilation ducts are installed evenly in the equipment



6 Boots & Shoes Steriliser | Boots



[1 of 5]



TOUCHSCREEN MODEL SERIES

Touch
screen



| Model Name | BS_H010 | BS_H012 | BS_H016 |
|--|---------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 990W | 1090W | 1450W |
| Capacity | 10 Pairs of Rubber Boots | 12 Pairs of Rubber Boots | 16 Pairs of Rubber Boots |
| Size (L x W x H) – cm | 70 x 60 x 190 | 80 x 60 x 190 | 100 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | • | • | • |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen | Touchscreen |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

6 Boots & Shoes Steriliser | Boots



[2 of 5]



TOUCHSCREEN MODEL SERIES

Touch
screen



| Model Name | BS_H020 | BS_H025 | BS_H030 |
|--|---------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 1450W | 1545W | 1645W |
| Capacity | 20 Pairs of Rubber Boots | 25 Pairs of Rubber Boots | 30 Pairs of Rubber Boots |
| Size (L x W x H) – cm | 100 x 60 x 190 | 120 x 60 x 190 | 150 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | • | • | • |
| Touchscreen / Button Keypad | Touchscreen | Touchscreen | Touchscreen |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |

6 Boots & Shoes Steriliser | Boots



[3 of 5]



BUTTON MODEL SERIES



| Model Name | BS_N010 | BS_N012 | BS_N016 |
|--|---------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 990W | 1090W | 1450W |
| Capacity | 10 Pairs of Rubber Boots | 12 Pairs of Rubber Boots | 16 Pairs of Rubber Boots |
| Size (L x W x H) – cm | 70 x 60 x 190 | 80 x 60 x 190 | 100 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional |
| Touchscreen / Button Keypad | Button | Button | Button |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |



6 Boots & Shoes Steriliser | Boots



[4 of 5]



BUTTON MODEL SERIES



| Model Name | BS_N020 | BS_N025 | BS_N030 |
|--|---------------------------|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel | Stainless Steel |
| Power Consumption | 1450W | 1545W | 1645W |
| Capacity | 20 Pairs of Rubber Boots | 25 Pairs of Rubber Boots | 30 Pairs of Rubber Boots |
| Size (L x W x H) – cm | 100 x 60 x 190 | 120 x 60 x 190 | 150 x 60 x 190 |
| PRODUCT FEATURES | | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • | • |
| Plasma Ionizer | Optional | Optional | Optional |
| Touchscreen / Button Keypad | Button | Button | Button |
| Temperature Setting | • | • | • |
| Timer Setting | • | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous | 10 mins – Continuous |



6 Boots & Shoes Steriliser | Shoes



SHOES ULTRAVIOLET SERIES



| Model Name | SS_H024 | SS_N024 |
|--|---------------------------|---------------------------|
| Equipment Material | Stainless Steel | Stainless Steel |
| Power Consumption | 755W | 755W |
| Capacity | 24 Pairs of Shoes | 24 Pairs of Shoes |
| Size (L x W x H) – cm | 70 x 60 x 190 | 61 x 53 x 190 |
| PRODUCT FEATURES | | |
| Ultraviolet / High Heat Sterilisation? | Ultraviolet Sterilisation | Ultraviolet Sterilisation |
| Hot-air Dryer Function | • | • |
| Plasma Ionizer | • | • |
| Touchscreen / Button Keypad | Touchscreen | Button |
| Temperature Setting | • | • |
| Timer Setting | • | • |
| Temperature Range | 25 – 60°C | 25 – 60°C |
| Timing Range | 10 mins – Continuous | 10 mins – Continuous |





Contact Us

Maroon Connection Pte. Ltd.

Warehouse / Showroom

66 Tannery Lane #01-03i

Sindo Building, Singapore 347805

Tel: (+65) 8752 3678 | **Email Add:** contact@maroon-connection.com

<http://www.maroon-connection.com>