

**PRODUCT BROCHURE Ultraviolet (UV-C)** Disinfection **Lighting Systems** 

Using state-of-the-art ultraviolet sterilisation technology, 99.99% of bacteria and germs are eliminated in the process

## About Us

We specialise in a wide range of commercial use ultraviolet (UV-C) sterilisers and ultraviolet (UV-C) disinfection lighting systems

We are dedicated in bringing high-quality, value-added products to the region to improve hygiene, safety and convenience in daily lives



**Committed to keeping** children, adults and the elderly safe and healthy in the community, schools, public spaces and high-traffic areas



## Product Features

National Environment Agency

Safeguard - Nurture - Cherish



- **Top Product Quality** Guaranteed
- Local on-site Technical Support
- User-friendly Phone App / Remote Controller
- Safety sensors in place
- Meet <u>ALL</u> of NEA's safety requirements



## Types of Installation

Our team of highly-trained qualified professionals has the technical capabilities and expertise and will do an on-site inspection visit to recommend the type of installation for the ultraviolet (UV-C) disinfection lighting systems most suited for your needs



Wall Installation (Recessed)



Suspension Installation



### Ceiling Installation

### Applications for ultraviolet (UV-C) disinfection lighting systems installation



### Applications for ultraviolet (UV-C) disinfection lighting systems installation



## Surface Disinfection

# UV-C LEDLED SF001

### UV-C

- SF002
- SFM002 (Mobile)
- SF003

### **UV-C Surface Disinfection - LED SF001**







LED SF001

### **Specifications**

Model Name **LED SF001** AC 100-277V, 50/60Hz Voltage Air Circulation System 0 **Optimal Temperature Range** -20°C ~ 40°C 30 x 30 x 11.0 Dimensions (L x W x H) - cm ~10,000 Hours Lifetime Hours 5 – 15 m<sup>2</sup> Area Reach (Height: 2 – 3.5 m)









### **Disinfection Space Recommendation**

Z:2-3.5m(Height)



99.99% bacteria and germs effectively eliminated





100% Safe, Ozone free and Chemical free -Safe for children and adults



Safe and reliable to use -Automatic safety control device


### Some application uses for UV-C Surface Disinfection - LED SF001



**Elevators** 

### **UV-C Surface Disinfection - SF002**

**Product** 









### **Specifications**

Model Name	SF002
Voltage	AC 100-120V or 200-240V, 50/60Hz
Wattage	50W, 100W, 150W, 200W
Air Circulation System	0
<b>Optimal Temperature Range</b>	-40°C ~ 40°C
Dimensions (L x W x H) – cm	43 x 43 x 15.9
Lifetime Hours	~10,000 Hours
Area Reach	15 – 30 m² ( <b>Height:</b> 2 – 5 m)





### **Main Features**

99.99% bacteria and germs effectively eliminated



Overall Cost savings -Low operating and maintenance costs

Variety of installation methods -Suitable for different places

REF

100% Safe, Ozone free and Chemical free -Safe for children and adults



Convenient and easy to operate and maintain



Corrosionresistant, lightweight aluminum material

Safe and reliable to use -Automatic safety control device

Easy rotation -Module Rotatable 200° for wider reach

### Some application uses for UV-C Surface Disinfection - SF002



### **UV-C Surface Disinfection (Mobile) - SFM002**

### **Product**





### **Specifications**

Model Name	SFM002
Wattage	50W, 100W, 150W, 200W
Limiting Altitude	1.5m
Horizontal Rotation	X-360°C (Box)
Vertical Rotation	Y-180°C (Product)
Dimensions (L x W x H) – cm	50 x 30 x 103.0
Lifetime Hours	~10,000 Hours
Area Reach	~100 m²





### **Main Features**

99.99% bacteria and germs effectively eliminated



Overall Cost savings -Low operating and maintenance costs

Alarm device to protect user from any harmful UV-C exposure



100% Safe, Ozone free and Chemical free -Safe for children and adults

Safe and reliable to use -Automatic safety control device

Easy rotation -Module Rotatable 200° for wider reach



Convenient and easy to operate and maintain




Corrosionresistant, lightweight aluminum material


### Some application uses for UV-C Surface Disinfection (Mobile) - SFM002



### **UV-C Surface Disinfection - SF003**



### **Disinfection Space Recommendation**





Space: ~90 m<sup>2</sup> Quantity: 9pcs

100% Mercury free -Extra Safe

Variety of installation methods -Suitable for different places

### Some application uses for UV-C Surface Disinfection - SF003





### (+65) 8752 3678

<u>www.maroon-connection.com</u>

### **Contact Us**

**Registered Office** 22 Sin Ming Lane #06-76 Midview City, Singapore 573969

Warehouse / Showroom 66 Tannery Lane #01-03i Sindo Building, Singapore 347805 Email Add: contact@maroon-connection.com